

L Number	Hits	Search Text	DB	Time stamp
1	0	((lightweight\$2 adj directory adj access adj protocol) or LDAP) and schema and class and (objects! near9 directory) and x.500 and search\$3 and query and ((view\$3 or present\$3 or display\$3) near5 directory) and interca\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:30
2	5	((lightweight\$2 adj directory adj access adj protocol) or LDAP) and schema and class and (objects! near9 directory) and x.500 and search\$3 and query and ((view\$3 or present\$3 or display\$3) near5 directory) and interfac\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:34
3	164	((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:35
4	0	((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (search\$3 and quer\$5) near6 (interfac\$3 and directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:36
5	24	((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (search\$3 or quer\$5) near6 (interfac\$3 and directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:53
6	10	((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (view\$3) near6 (interfac\$3 and directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:52
7	3	((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (search\$3 or quer\$5) near6 (interfac\$3 and directory)) and ((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (view\$3) near6 (interfac\$3 and directory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:38
8	3	((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (search\$3 or quer\$5) near6 (interfac\$3 and directory)) and ((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (view\$3) near6 (interfac\$3 and directory)) and (category or variety or types!) and (class or object or attribute)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:40
9	1	((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (search\$3 or quer\$5) near6 (interfac\$3 and directory)) and ((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (view\$3) near6 (interfac\$3 and directory)) and (category or variety or types!) and (class or object or attribute)) and Java adj class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:43
10	1	((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (search\$3 or quer\$5) near6 (interfac\$3 and directory)) and ((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (view\$3) near6 (interfac\$3 and directory)) and (category or variety or types!) and (class or object or attribute)) and Java and html	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:41
11	2	((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (search\$3 or quer\$5) near6 (interfac\$3 and directory)) and ((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (view\$3) near6 (interfac\$3 and directory)) and (category or variety or types!) and (class or object or attribute)) and html and web	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:55

12	9	(((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (view\$3) near6 (interfac\$3 and directory)) and html and web	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:42
13	5	(((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (view\$3) near2 (interfac\$3 and directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:42
14	5	(((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (view\$3) near2 (interfac\$3 and directory)) and html and web	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:42
15	35	(((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and Java adj class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:55
16	12	(((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and Java adj class) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:46
17	9	(((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and schema same instant\$6 same class same object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:46
18	8	(((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and schema same instant\$6 same class same object same directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:48
19	4	(((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and schema same instant\$6 same class same object same directory) and (object adj oriented) near3 programm\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:49
20	0	(((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and schema same instant\$6 same class same object same directory) and (((object adj oriented) near3 programm\$4) near9 class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:49
21	4	(((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and schema same instant\$6 same class same object same directory) and (((object adj oriented) near3 programm\$4) same class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:52
22	2	(((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and schema same instant\$6 same class same object same directory) and (((object adj oriented) near3 programm\$4) same class)) and x.500	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:52
23	13	(((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (view\$3 near2 directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:53
24	1	(((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (view\$3 near2 directory)) and (search\$3 or quer\$5) near3 (interfac\$3 and directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:53

25	8	(((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (view\$3 near2 directory)) and (search\$3 or quer\$5) near3 directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:53
26	5	(((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (view\$3 near2 directory)) and (search\$3 or quer\$5) near3 directory) and interfac\$3 near (user or application or graphic\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:54
28	0	((((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (view\$3 near2 directory)) and (search\$3 or quer\$5) near3 directory) and interfac\$3 near (user or application or graphic\$4)) and html and web) and Java adj class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:55
27	4	((((lightweight\$2 adj directory adj access adj protocol) or LDAP) and classes! and (objects! near9 directory)) and (view\$3 near2 directory)) and (search\$3 or quer\$5) near3 directory) and interfac\$3 near (user or application or graphic\$4)) and html and web	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 06:55



US006195666B1

(12) **United States Patent**
Schneck et al.

(10) Patent No.: **US 6,195,666 B1**
 (45) Date of Patent: **Feb. 27, 2001**

(54) **WEB INTERFACE AND METHOD FOR
 DISPLAYING DIRECTORY INFORMATION**

(75) Inventors: **David H. Schneck, Malvern; Steve
 Cherry, Dresher, both of PA (US);
 David Goodman, Edinburgh (GB)**

(73) Assignee: **International Business Machines
 Corporation, Armonk, NY (US)**

(*) Notice: Subject to any disclaimer, the term of this
 patent is extended or adjusted under 35
 U.S.C. 154(b) by 0 days.

5,678,045	10/1997	Bettels .
5,708,780	1/1998	Levergood et al. .
5,708,825	1/1998	Sotomayor .
5,737,533	4/1998	de Hond .
5,742,762	4/1998	Scholl et al. .
5,745,574	4/1998	Muftic .
5,745,683	4/1998	Lee et al. .
5,754,772	5/1998	Leaf .
5,758,343	5/1998	Vigil et al. .
5,774,552	6/1998	Grimmer .
5,787,450	7/1998	Diedrich et al. .
5,812,776	9/1998	Gifford .
5,822,074	10/1998	Deason et al. .
5,832,225	11/1998	Hacherl et al. .

(List continued on next page.)

(21) Appl. No.: **08/990,246**

(22) Filed: **Dec. 15, 1997**

(51) Int. Cl.⁷ **G06F 17/21**

(52) U.S. Cl. **707/513; 707/10; 707/102;
 713/201**

(58) Field of Search **707/512, 513,
 707/514, 515, 516, 517, 102, 501, 10; 345/501,
 502, 503, 505, 506, 507; 709/223-226;
 713/200-201**

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,241,671	8/1993	Reed et al.	395/600
5,297,249	3/1994	Bernstein et al.	395/156
5,355,497	10/1994	Cohen-Levy	395/700
5,388,255	2/1995	Pytik et al. .	
5,412,774	5/1995	Agrawal et al.	395/157
5,481,666	1/1996	Nguyen et al.	395/159
5,491,817	2/1996	Gopal et al. .	
5,500,929	3/1996	Dickinson	395/160
5,530,852	6/1996	Meske, Jr. et al.	395/600
5,537,546	7/1996	Sauter	395/200.01
5,548,723	8/1996	Pethus .	
5,572,643	11/1996	Judson	395/793
5,572,724	11/1996	Watanabe et al. .	
5,600,831	2/1997	Levy et al. .	
5,617,568	4/1997	Ault et al. .	
5,649,186	7/1997	Ferguson .	
5,659,616	8/1997	Sudia .	

OTHER PUBLICATIONS

Touvet et al, "A Multimedia White page Service Using
 X.500/WWW Integration" (Abstract only), Computer Net-
 works and ISDN Systems, vol. 26, Supplement No. 1, pp.
 S39-S48, 1994.*

(List continued on next page.)

Primary Examiner—Joseph H. Feild

(74) Attorney, Agent, or Firm—Hunton & Williams

(57) **ABSTRACT**

A Web interface and method for displaying directory infor-
 mation are disclosed. The Web interface for displaying
 directory information comprises mapping means (212) for
 linking directory data to a template file (214), the template
 file (214) including predetermined criteria for controlling
 display of the directory data; and, publishing means for
 displaying the directory data according to the predetermined
 criteria. A method for displaying directory information in
 accordance with the invention comprises three steps. These
 steps are: retrieving directory data responsive to an infor-
 mation request (302); correlating the directory data with a
 template file to create a response, the template file including
 predetermined criteria for controlling the display of the
 directory data (304); and publishing the response according
 to the predetermined criteria (308).

22 Claims, 24 Drawing Sheets

